








## Walk-through Metal Detectors

No.	Product	Photo	Specification
1	<b>Model: UM-DW6I-IIA</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• 6 Detecting zone</li> <li>• Stable sensitivity</li> <li>• Zone light alarm on top</li> <li>• High sensitivity: Can detect a paper clip at highest sensitivity</li> <li>• Electric current: AC215V- 230V 50/60HZ</li> <li>• Power: &lt;35W Humidity: 95%</li> <li>• Work environment: -20°C~+45°C</li> <li>• Outer frame: 2220mm(h) x 820mm(w) x 522mm(d)</li> <li>• Inner frame: 2000mm(h) x 700mm(w) x 522mm(d)</li> <li>• Gross Weight: 105kg/pc</li> <li>• Volume: 0.76cbm/pc</li> </ul>
2	<b>Model: UM-DW6I-IIC</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• 6 Detecting zone</li> <li>• Stable sensitivity</li> <li>• 2 LED alarm light bar</li> <li>• High sensitivity: Can detect a paper clip at highest sensitivity</li> <li>• Electric current: AC215V- 230V 50/60HZ</li> <li>• Power: &lt;35W Humidity: 95%</li> <li>• Work environment: -20°C~+45°C</li> <li>• Outer frame: 2220mm(h) x 820mm(w) x 522mm(d)</li> <li>• Inner frame: 2000mm(h) x 700mm(w) x 522mm(d)</li> <li>• Gross Weight: 105kg</li> <li>• Volume: 0.76cbm/pc</li> </ul>
3	<b>Model: UM-DW6I-IID</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• 6 Detecting zone</li> <li>• Stable sensitivity</li> <li>• FOUR LED alarm light bar</li> <li>• High sensitivity: Can detect a paper clip at highest sensitivity .</li> <li>• LCD screen show operation step.</li> <li>• Remote control</li> <li>• Electric current: AC215V- 230V 50/60HZ</li> <li>• Power: &lt;35W Humidity: 95%</li> <li>• Work environment: -20°C~+45°C</li> <li>• Outer frame: 2220mm(h) x 820mm(w) x 522mm(d)</li> <li>• Inner frame: 2000mm(h) x 700mm(w) x 522mm(d)</li> <li>• Gross Weight: 105kg</li> <li>• Volume: 0.76cbm/pc</li> </ul>

No.	Product	Photo	Specification
4	<b>Model: UM-DW243-00C</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• Detect zone: single zone, 8 zone, 16 zone, 24 zones (optional to clients need)</li> <li>• New technology</li> <li>• Updated DSP technology</li> <li>• Automatically Calibration</li> <li>• Electric current: 80V to 250V</li> <li>• Power: 8W</li> <li>• Work environment: -20°C~+45°C</li> <li>• DSP Digital processing technology</li> <li>• Input MBSU battery backup, in time power transfer.</li> <li>• 300 sensitivity level adjustable</li> <li>• Friendly LCD operate interface</li> <li>• local language support</li> <li>• Gross Weight: 105kg</li> <li>• Volume: 0.76cbm/pc</li> </ul>
<b>Out Door Model (Works in Heavy Rain without Shield)</b>			
5	<b>Model: UM-DW63-00BW</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• 6 detecting zone</li> <li>• Best in waterproof</li> <li>• Best in sensitivity</li> <li>• Small LCD operation menu</li> <li>• 4 LED alarm light bar</li> <li>• Sensitivity:0-199; Can detect a paper clip at highest sensitivity</li> <li>• Remote control</li> <li>• Well water proof: Can work in heavy rain</li> <li>• Electric current: AC215V- 230V 50/60HZ</li> <li>• Power: &lt;35W Humidity: 95%</li> <li>• Work environment: -20°C~+45°C</li> <li>• Outer frame: 2220mm(h) x 820mm(w) x 610mm(d)</li> <li>• Inner frame: 2000mm(h) x 700mm(w) x 610mm(d)</li> </ul>
6	<b>Model: UM-DW63-00A</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• 6 Detecting zone</li> <li>• 2 LED alarm light bar</li> <li>• Sensitivity:0-199; Can detect a paper clip at highest sensitivity .</li> <li>• 4. Remote control</li> <li>• 5. Well water proof, can work in heavy rain</li> <li>• Electric current: AC215V- 230V 50/60HZ</li> <li>• Power: &lt;35W Humidity: 95%</li> <li>• Work environment: -20°C~+45°C</li> <li>• Outer frame: 2220mm(h) x 820mm(w) x 610mm(d)</li> <li>• Inner frame: 2000mm(h) x 700mm(w) x 610mm(d)</li> <li>• Gross Weight: 105kg/pc</li> <li>• Volume: 0.76cbm/pc</li> </ul>

No.	Product	Photo	Specification
7	<b>Model: UM-DW185-00</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• Detect zone: 6 Zones to 18 Zones (Multi Zones optional to clients need)</li> <li>• Stable sensitivity</li> <li>• Stable performance</li> <li>• 2 LED lights bars show location of threat items</li> <li>• LED display with intelligent traffic counters for reliable statistics</li> <li>• Electrical current: AC100V~240V 50/60Hz</li> <li>• Size : 2230mm (h) x 760mm (w) x 500mm (d) 87.8 in(h) x 29.9in(w) x 19.7in (d)</li> <li>• Storage Humidity: 20% ~ 95%</li> <li>• Storage temperature: - 20°C ~ + 60 °C</li> <li>• Work environment: -20°C~+45°C</li> <li>• Gross Weight: 105kg/pc</li> <li>• Volume: 0.76cbm/pc</li> </ul>
8	<b>Model: UM-DW186-00</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• Detect zone: 6 Zones to 18 Zones (Multi Zones optional to clients need)</li> <li>• Stable sensitivity</li> <li>• Stable performance,</li> <li>• 2 LED lights bars show location of threat items</li> <li>• LCD display with intelligent traffic counters for reliable statistics</li> <li>• Electrical Current: AC100V~240V 50/60Hz</li> <li>• Size: 2230mm (h) x 760mm (w) x 500mm (d) 87.8 in(h) x 29.9in(w) x 19.7in (d)</li> <li>• Storage Humidity: 20% ~ 95%</li> <li>• Storage temperature: - 20°C ~ + 60 °C</li> <li>• Work environment: -20°C~+45°C</li> </ul>
9	<b>Model: UM-DW336-Plus</b> Walk-through Metal Detector		<ul style="list-style-type: none"> <li>• Detect zone: 8-16-24-33 Zones (Multi Zones optional to clients need)</li> <li>• Stable performance</li> <li>• 2 LED lights bars show location of threat items</li> <li>• Huge LCD display with intelligent traffic counters for reliable statistics</li> <li>• Electrical current: AC100V~240V 50/60Hz</li> <li>• Size : 2230mm (h) x 760mm (w) x 500mm (d) 87.8 in(h) x 29.9in(w) x 19.7in (d)</li> <li>• Storage Humidity: 20% ~ 95%</li> <li>• Storage temperature: - 20°C ~ + 60 °C</li> <li>• Work environment: -20°C~+45°C</li> <li>• G.Weight: 105kg/pc</li> <li>• Volume: 0.76cbm/pc</li> </ul>

## Hand-held Metal Detectors

No.	Product	Photo	Specification
1	<b>Model: UM-DH3-00</b> Hand-held Metal Detector	 <p>Labels in photo: Detect Area, LED Light Indicator, Sound Alarm, OFF, Vibration Alarm, 9V Battery inside</p>	<ul style="list-style-type: none"> <li>• Alarm: sound and light alarm simultaneously, or vibration and light alarm</li> <li>• Detecting Distance: Pin: 20mm; USD 25 Cent: 60mm; hand gun: 35cm</li> <li>• Power: 9V (6F22) alkaline battery</li> <li>• Operating Temperature: -5°C to +55°C</li> <li>• Operate Current: &lt; 50mA</li> <li>• Operate Voltage: 7V-9V</li> <li>• Indicator Visual: Red / Green LED</li> </ul>
2	<b>Model: UM-DH2-0008</b> Hand-held Metal Detector		<ul style="list-style-type: none"> <li>• Detecting Distance: Pin: 60mm; Dia. 20 Steel ball: 90mm, 64 model handgun: 50mm; 6 inch long knife: 160mm</li> <li>• Power: 9V (6F22) alkaline battery</li> <li>• Operating Temperature: -5°C to +55°C</li> <li>• Operate Current: &lt; 50mA</li> <li>• Operate Voltage: 7V-9V</li> <li>• Indicator Visual: Red / Green LED</li> </ul>
3	<b>Model: UM-DH2-009</b> Hand-held Metal Detector		<ul style="list-style-type: none"> <li>• Detection distance: Pin: 30-60mm, One coin: 75-100mm, 6 inches knife: 160-180mm, 64model hand gun: 180- 195mm</li> <li>• Streamlined, elegant appearance, super-sensitivity.</li> <li>• Detect ferrous and non-ferrous metal.</li> <li>• 2 kinds of alarm method: Buzzer &amp; LED alarm; Vibration &amp; LED alarm.</li> <li>• Adjustable sensitivity, Easy use</li> <li>• Low battery indicator/ Charge Lamp gives a timely alert</li> <li>• Optional: Charger &amp; battery to charge the device directly</li> </ul>